2000 ORDERING SUPPLEMENT
MIDDLE EAST

0smid8ta

	REQUIRED ON EVERY ORDER	
RPO	DESCRIPTION	
A04	Windshield: Tinted, Less Upper Shade Band	X
AC7	Pipe: Fuel Tank Vent, Unrestricted	X
R ANJ	Glass: Window Compliant, Non-Deep Tint **Requires** YE9	X
EXP	Processing Option: GMODC, Export	X
K47	Air Cleaner: High Capacity, Gas Engines Only	X
K53	Fuel Sender Assembly: Robust Fuel System	X
NM2	Leaded Fuel Provisions	X
R6K	Processing Option: Middle East	X
T62	Daytime Running Lights - Delete	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X
UD4	Speed Warning Device	X
UL2	Radio Frequency: Europe **Requires** UL0 or UP0 with YE9 or UM7 Less YE9	X
V87	Complete Vehicle Label	X
VC5	Shipping Label	X
VPH	Export Vehicle Preparation – Includes (BAG) Export Parts Package, (VR6) Tie Down Hook, (V76) Tow Hook	X
Z5X	Mirror: Outside, Rearview with Arabic Language Warning	X

	MODEL AND POWERTRAIN AVAILABILITY					
MODEL	DESCRIPTION	ENG	DISPL.	AXLE	TRANS.	TIRES
CC15706	Tahoe 4 Door 2 Wheel Drive Utility	LM7	5.3L V8	GT4	M30	QCP
CK15706	Tahoe 4 Door 4 Wheel Drive Utility	LM7	5.3L V8	GT4	M30	QHS

QCP Tires: P255/70R16 109H Blackwall, ALS
QHS Tires: P265/75R16 114H Blackwall, "A" Temperature Rating

	OTHER AVAILABLE EXPORT OPTIONS	
T78	Headlamps Control - Delete	A
UL0	Radio: AM/FM Stereo with Cassette Player **Requires** YE9	A
UM7	Radio: AM/FM Stereo **Not Available** with YE9	A
R UP0	Radio: AM/FM with Cassette Player and CD **Requires** YE9 and AN3 or A95	A

	EXPORT RESTRICTIONS:
AJ1	Deep Tinted Glass – **Not Available**
DF2	Mirrors, Exterior – **Not Available**
R NW7	Traction Control - **Not Available** with NM2 Leaded Fuel Provisions

TAHOE - NEW

4 DOOR 2 WHEEL DRIVE	C15706
4 DOOR 4 WHEEL DRIVE	K15706

"STEP by STEP"

STEP #1:	SELECT	MODEL CODE Review Standard Equipment
STEP #2:	SELECT	PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE
STEP #3:	SELECT	POWER TEAM REQUIREMENTS
STEP #4:	SELECT	ADDITIONAL OPTIONS
STEP #5:	SELECT	COLOUR, TRIM AND PAINT APPLICATION CODE

2000 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

	SAFETY/SECURITY	ZE5	YE9
	Air Bag Restraint: Next Generation Driver and Passenger Sides and side Impact	S	S
	Brake Transmission Shift Interlock	S	S
	Child Safety Door Locks: Rear Side Doors	S	S
	Child Safety Seat Top Tether Anchor	S	S
	Lights: Daytime Running Lights; Centre high mounted stop lamp	S	S
	Passlock™ Security System	S	S
	Side Guard Door Beams	S	S
	Single Two-Sided Key: Common key to operate ignition and doors	S	S
	EXTERIOR		
	Brakes: 4 Wheel ABS and 4 wheel disc	S	S
	Bumpers: Front and Rear Step; Chrome with rub strip	S	S
	Door Handles: Black	S	---
	Coloured Keyed	--	S
R	**Glass:** Solar-Ray™ Tinted; all windows	S	---
R	Deep Tinted Glass on windows behind 'B' Pillar	---	S
	Grille: Moulded plastic; painted argent; integral Chevrolet emblem at centre of grille	S	S
	Chrome accents	---	S
	Headlights: Automatic dual composite halogen	S	S
	Horn: Electric high/low note	S	S
	Keyless Entry, Remote: Three-button fob remote transmitter. Illuminated entry, panic alarm and vehicle content theft alarm. Two key fobs are provided	---	S
	Lights: Backup Lamps, Combination Parking/Direction/Hazard, Combination Tail/Stop/Direction/Hazard, Headlamps, License Plate lamp, Side Marker lamps with reflectors, Underhood lamp, Flash to Pass	S	S
	Luggage Carrier: Roof mounted. Painted black	---	S
	Mirrors: Black left hand and right hand. Below eye-line type. Fold-away	S	---
	Heated Electric Remote Control with puddle lights. Chrome on LS, Body Colour on LT	---	S
R	Light Sensitive Driver Side (LT Model Only)	---	S
	Mouldings: Bright body side	---	S
	Nameplates: Chevrolet and Tahoe nameplate on panel doors/liftgate	S	S
	Tahoe designation nameplate on doors	S	S
	"LS"/"LT" nameplate on B pillar	---	S
	Spare Tire Carrier: Mounted under body, locking	S	S
	Speed Sensitive Steering (K15706)	S	S
	Tow Hooks: Left hand and right hand front tow hooks mounted at the front of each frame side member (K15706)	S	S
	Transfer Case: Autotrac. Automatic Four Wheel Drive Function in addition to the traditional 2H/4H/4L (K15706)	S	S
	Wheels: Clad wheel silver painted steel with black centre cap	S	---
	16" Aluminum	---	S
	Windshield Wipers and Washers: Intermittent wiper system. Demand-type washer system	S	S
	Wiring Harness, Trailer: Heavy duty, 8-wire, 7-lead	S	S
	INTERIOR		
	Air Conditioning: All Weather Front and Rear with dual controls and Pollen Air Filtration	---	S
	Assist Handle: Front passenger side on headliner	S	S
	Rear both sides – 1 on 'B' pillar	S	S
	Cargo Net	---	S
	Cargo Security Shade: Removable; extends from rear seat to back of vehicle; vinyl, colour-keyed	---	S
	Concealed Storage Compartment: Left Rear Quarter Panel	S	S
	Convenience Group: Programmable power side door locks, lockout prevention, retained accessory power	S	S
	Power side door windows with express down feature on driver's window, speed control	---	S
	Door Lock, Rear: Lock/unlock switch located on the right hand rear pillar. This allows all doors to be locked/unlocked from the rear while the rear doors are open. When the Standard Panel Doors (ZW9) are specified, all doors will be automatically relocked, five seconds after the rear doors are closed	S	S
	Door Trim Panels: Colour-keyed grained moulded plastic	S	---
	Soft vinyl with carpet covered map pocket and cloth insert	---	S
	Driver Message Center: Up to 18 vital vehicle functions	S	S
	Floor Covering: Colour-keyed Vinyl One piece front and rear seating floor area. One piece cargo floor area	S	---
	Carpeted One piece front and rear seating floor area. One piece cargo floor area	---	S
	Front and 2nd row and vinyl mats	---	S
	Gauges: Speedometer, odometer, fuel level, voltmeter, temperature, oil pressure, tachometer, trip odometer, hour meter	S	S
	Headlights On and Key-In-Ignition Warning Buzzers	S	S
	Headliner: Cloth covered moulded fiberglass construction	S	S
	Heater and Defogger: Windshield and side window defoggers. 2nd row seat heater ducts	S	S
	Rear window defogger, electric	---	S
	Lights: Dome with map reading lights incorporating a 20 second delay-off feature, underdash courtesy, ashtray, glove box, instrument cluster. Left hand and right hand door jamb switches	S	S

S Standard

2000 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

INTERIOR	ZE5	YE9
Mirror, Rearview: 254 mm (10") electrochromic. Mirror automatically adjusts to reduce night time glare. Includes a continually recalibrating 8 point compass system, outside temperature	---	S
Power Points: Dual covered in addition to cigarette lighter receptacle in instrument panel with one rear cargo area	S	S
Radio Equipment: Tuned AM/FM Stereo with Seek-Scan and Clock. Fixed mast antenna and four speakers (2 - in front doors; 2 – in rear door)	S	---
ETR AM/FM Stereo with Compact Disc Player, Seek-Scan, Automatic Tone Control, Clock, Theft Lock and Speed Compensated Volume. Includes 2 high sensitivity speakers and 2 tweeters in front doors, 2 extended range speakers in rear door, 2 extended rear speakers in pillar, subwoofer in left rear quarter panel and 5 channel amplifier in instrument panel	---	S
Seats: Front Vinyl 40/20/40 Split Bench Seat	S	---
Front Custom Cloth reclining 40/20/40 Split Bench Seat with manual lumbar and center armrest storage	---	S
2nd Row folding seat	S	S
Head restraints, adjustable on all outboard seats	S	S
Steering Wheel and Column: Black energy absorbing steering column with anti-theft locking feature, tilt wheel	S	S
Leather wrapped steering wheel	---	S
Sunshades: Dual Left hand and right hand padded, colour-keyed cloth	S	S
Lighted visor mirrors	---	S
Tools: Mechanical jack and wheel wrench located on interior left hand rear side	S	S

S Standard

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

REFER TO GENERAL INFORMATION SECTION FOR HOW TO ORDER INFORMATION WHEN CHANGING POWERTRAIN

NOTE: SEE POWER TEAM CHARTS FOR CORRECT UPGRADES COMPATIBILITY

		SELECT-A-UNIT CODES		
			LS	LT
OPTION DESCRIPTION	OPTION CODE	1	3	4
PREFERRED EQUIPMENT GROUPS	---	1SA	1SC	♦1SD
MODEL OPTION:	ZE5	X		
BODY ORDERING CODE: Panel Doors	ZW9	X	U	U
Engine: 4800 SFI V8	LR4	U	U	U
Transmission: 4 Speed Automatic	M30	X	X	X
GVWR: 2948 kgs (6500 lbs) (C15706)	C7K	X	U	U
GVWR: 3084 kgs (6800 lbs) (K15706)	C5U	X	U	U
Chassis: Smooth Ride	ZQ1	U	U	
Chassis: Premium Smooth Ride	ZW7			U
Axle, Rear: 3.42 Ratio (C15706)	GU6	U	U	U
Axle, Rear: 3.73 Ratio (K15706)	GT4	U	U	U
Tires: P245/75R-16 ALS Blackwall	QNK	U	U	
Tires: P265/70R-16 A/T Blackwall	QMJ			U
Seat: 40/20/40 Split Front Bench	AE7	X	U	
Seats: Full Featured Front High Back Reclining Buckets with Leather Trim	AN3			X
MODEL OPTION: LS / LT	YE9		X	X
Air Conditioning: Electronic Climate Control	C68			X
Carpeted Floor Mats	B58			X
Fog Lamps	T96			X
R				
2nd Row Seat Audio Controller	UK6			X
Running Boards	BVE			X
Transmitter, Homelink	UG1			X
Wheels: Polished Aluminum	QC3			X

♦ **Requires Leather Trim Code 122, 672, 922.**
X **Option Included in Select-A-Unit DO NOT DELETE**
U **Option Included in Select-A-Unit and May Be Deleted if Substitute Option is Specified**

2000 LIGHT DUTY TRUCKS

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

2 WHEEL DRIVE

Model Price	C15706	ZE5	1	1SA
LS				
Model Price	C15706	YE9	3	1SC
LT				
Model Price	C15706	YE9	4	1SD

4 WHEEL DRIVE

Model Price	K15706	ZE5	1	1SA
LS				
Model Price	K15706	YE9	3	1SC
LT				
Model Price	K15706	YE9	4	1SD

Destination Freight Charge .....

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

C15706

					GVWR Code	C7K		C5U	
					kgs	2948		3084	
					lbs	6500		6800	
					Axle Ratio	3.42	3.73	3.42	3.73
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes			
LR4 V8	4.8 Litre 294 Cu. In.	SFI	275 @ 5200	M30 – Automatic with Overdrive		GU6	GT4	GU6	GT4
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 – Automatic with Overdrive		GU6	GT4	GU6	GT4

K15706

					GVWR Code	C5U		C5H	
					kgs	3084		3130	
					lbs	6800		6900	
					Axle Ratio	3.73	4.10	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes			
LR4 V8	4.8 Litre 294 Cu. In.	SFI	275 @ 5200	M30 – Automatic with Overdrive		GT4	GT5	GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 – Automatic with Overdrive		GT4	GT5	GT4	GT5

2000 LIGHT DUTY TRUCKS

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code

BODY ORDERING CODE: Liftgate: Lift Glass. Aluminum. Includes rear wiper system
Optional with: ..... SAU 3 or 4 ..... E52

ENGINES: Refer to Power Teams Charts for engine availability.
Vortec 4800 Sequential Fuel Injection (SFI) V8. ..... LR4
Vortec 5300 Sequential Fuel Injection (SFI) V8. ..... LM7

TRANSMISSIONS:
4-Speed Automatic with overdrive. 4L60E M30

GVWR: Refer to Power Teams Charts for GVWR availability.
2948 kgs (6500 lbs). **Not Available** with AS3.
Optional with: ..... C15706 ..... C7K
3084 kgs (6800 lbs). **Requires** AS3 on C15706. **Not Available** with AS3 on K15706.
Optional with: C5U
3130 kgs (6900 lbs) **Requires** AS3.
Optional with: ..... K15706 ..... C5H

AXLES, REAR: Refer to Power Teams Charts for axle ratio availability.
3.42 Ratio ..... C15706 ..... GU6
3.73 Ratio GT4
4.10 Ratio ..... K15706 ..... GT5
Locking Differential. G80

CHASSIS EQUIPMENT:

C15706, K15706
Smooth Ride: Base Suspension
C15706 **Requires** QCP, QNK or QNL
K15706 **Requires** QHS, QNK or QNL
Optional with: ..... SAU 3 ..... ZQ1

Premium Smooth Ride: Includes self leveling package. Includes touring tires and high performance shock absorbers.
C15706 **Requires** QCP, QMJ, QMK, QNK or QNL. (QNK or QNL **Requires** AS3.)
K15706 **Requires** QHS, QMJ, QMK, QNK or QNL. (QNK or QNL **Requires** AS3.)
Optional with: ..... SAU 1 or 3 ..... ZW7

Auto Ride Control: Fully automatic Real Time Dampening
C15706 **Requires** QCP, QMJ or QMK
K15706 **Requires** QHS, QMJ or QMK
Optional with: ..... SAU 3 or 4 ..... Z55

K15706
On-Off Road Package: Monotube 46 mm shocks, Off-Road Jounce Bumpers and Stabilizer Bar. Includes High Capacity Air Cleaner and Skid Plates
Requires QBN, QBX QGC, QGD, QHS or QIX
Optional with: ..... SAU 3 or 4 on K15706 ..... Z71

TIRES: Steel Belted Radial. Front, Rear and Spare.
P245/75R-16 – Blackwall Radial Steel All Seasons
Requires ZQ1 or ZW7. ZW7 **Requires** AS3.
Optional with: ..... QNK
P245/75R-16 – White Outline Letter Radial Steel All Seasons
Requires ZQ1 or ZW7. ZW7 **Requires** AS3.
Optional with: ..... QNL
LT245/75R-16C – Blackwall Radial Steel On/Off Road
Requires Z71
Optional with: ..... K15706 ..... QBN
LT245/75R-16C – White Outline Letter Radial Steel On/Off Road
Requires Z71
Optional with: ..... K15706 ..... QBX
P255/70R-16 – Blackwall Radial Steel All Seasons
Requires ZQ1, ZW7 or Z55. **Available** with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW9 (Miscellaneous Unregulated).
Optional with: ..... C15706 ..... QCP
P265/70R-16 – Blackwall Radial Steel All Terrain
Requires PF4 or QC3 and ZW7 or Z55.
Optional with: ..... QMJ

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code

P265/70R-16 – White Outline Letter Radial Steel All Terrain
Requires PF4 or QC3 and ZW7 or Z55.
Optional with: ..... QMK

P265/75R-16 – Blackwall Radial Steel All Terrain
Requires PF4 or QC3 and Z71.
Optional with: ..... K15706 ..... QGC

P265/75R-16 – White Outline Letter Radial Steel All Terrain
Requires PF4 or QC3 and Z71.
Optional with: ..... K15706 ..... QGD

P265/75R-16 – Blackwall Radial Steel All Terrain
Requires ZQ1, ZW7, Z55 or Z71 and PF4 or QC3. **Available** with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW9 (Miscellaneous Unregulated).
Optional with: ..... K15706 ..... QHS

LT265/75R-16C – Blackwall Radial Steel On/Off Road
Requires Z71
Optional with: ..... K15706 ..... QIX

SEATS: Cloth trim See Colour and Trim Charts.
FRONT

ZE5 includes driver and passenger manual seat back recliner, fold down 2nd row bench with armrest.
YE9 includes driver and passenger manual seat back recliner, manual driver and passenger lumbar, seat back stowage pockets, folding 2nd row bench that will function as armrest with stowage provisions and mini roof console.
With '2' Leather trim includes driver and passenger power 6-way seat adjuster.
Optional with: ..... 'V' Trim ..... SAU 1 ..... AE7
..... 'D' Trim ..... SAU 3 ..... AE7
..... '2' Leather Trim ..... SAU 3 ..... AE7

R High back bucket seat with manual recliners and adjustable head restraint. Inboard arm rest on driver and passenger. Manual lumbar on driver and passenger. Seat back stowage pockets. Includes short overhead console and floor console.
With '2' Leather trim includes driver and passenger power 6-way seat adjuster.
Optional with: ..... 'D' Trim ..... SAU 3 ..... A95
..... '2' Leather Trim ..... SAU 3 ..... A95

Full feature high back bucket seat with driver and passenger power 6-way seat adjuster. Inboard arm rest on driver and passenger. Power lumbar, seat back bolster, seat back recliners, and seat back stowage pockets. Two position memory controls. Heated seat for driver and passenger. Includes full length overhead console and floor console.
Optional with: ..... '2' Leather Trim ..... SAU 4 ..... AN3

3rd ROW SEAT: 3 Passenger Removable 50/50 flip and fold seat. **Deletes** Cargo Security Shade.
C15706 **Requires** C5U, E52 and either Z55 or ZW7
R K15706 **Requires** C5H, E52 and either Z55, ZW7 or Z71
R (AS3 & Z71 combination **Not Available** with CW6, CW7 or VD1)
Includes 3rd row floor mats and 16" Aluminum spare with PF4, PF9 or QC3 wheel.
Optional with: ..... SAU 3 or 4 ..... AS3

AIR CLEANER: High Capacity. Included in Z71
Optional with: K47

AIR CONDITIONING:
Front All Weather. Includes Increased Capacity Cooling and Pollen Air Filtration.
Optional with: ..... SAU 1 ..... C60

Electronic Climate Control. Includes Rear Auxiliary Heater. **Not Available** with CF5.
Optional with: ..... SAU 3 ..... C68

CONVENIENCE GROUPS:
Cruise Control
Optional with: ..... SAU 1 ..... K34

Driver and Passenger 6-Way Power Seat Adjuster. Included with "2' Leather Trim.
Requires AE7 or A95 and 'D' Code Trim.
Optional with: ..... SAU 3 ..... AG2

R **COOLING SYSTEMS:** Extra capacity. Included with Z82.
Transmission. Provides an external oil-to-air cooling system.
Optional with: ..... KNP

2000 LIGHT DUTY TRUCKS

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code

DEFOGGER, REAR WINDOW: Electric. **Requires** C60.
Optional with: ..... SAU 1 ..... C49

FLOOR COVERING:
Carpeted front and 2nd row mats and load area.
Optional with: ..... SAU 3 ..... B58

FOG LAMPS: Front
Optional with: ..... SAU 1 or 3 ..... T96

GLASS: Deep Tinted Glass on windows behind 'B' Pillar.
Light Tinted Glass on all other windows. **Requires** C60 and C49.
R Optional with: ..... SAU 1 ..... AJ1

GRILLE: Chrome accents.
Optional with: ..... SAU 1 ..... V22

HEATER: Engine Block
Optional with: K05

HEATER: Rear Passenger. Auxiliary. Provides heat to Rear Compartment. Included with C68.
Optional with: ..... SAU 3 or 4 ..... C36

LUGGAGE CARRIER: Roof
Optional with: ..... SAU 1 ..... V54

LUGGAGE CARRIER DELETE: Roof. **Not Available** with CF5.
Optional with: ..... SAU 3 or 4 ..... V53

MIRRORS, EXTERIOR:
Left Hand and Right Hand. Camper Type. Incorporates ability to be extended outboard to give greater field of view for trailering applications and after market body equipment.
R Optional with: ..... SAU 1 or 3 ..... DF2

MOULDINGS:
Wheel Opening Fender Flare. Front and rear. (See Colour, Trim and Seat Availability Chart)
Optional with: B71

Bright Body Side
Optional with: ..... SAU 1 ..... B85

PAINT SCHEMES: (See Colour, Trim and Seat Availability Chart)
Solid ZY1
Conventional Two-Tone ..... SAU 3 or 4 ..... ZY2

RADIO EQUIPMENT:
Radio Delete (**Deletes** radio, antenna and speakers)
Optional with: ..... SAU 1 ..... UL5

Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Cassette Player and Digital Clock. Includes four speakers (two extended range speakers in front doors, two extended range speakers in rear doors rear).
Optional with: ..... SAU 1 ..... UM6

Electronically Tuned AM/FM Stereo with Cassette Player, Seek-Scan, Automatic Tone Control, Clock, Theft Lock and Speed Compensated Volume. Includes two high sensitivity speakers and 2 tweeters in front doors, 2 extended range speakers in rear door, 2 extended rear speakers in pillar, subwoofer in left rear quarter panel and 5 channel amplifier in instrument panel.
Optional with: ..... SAU 3 or 4 ..... UL0

Electronically Tuned AM/FM Stereo with Cassette Player and Compact Disc Player, Seek-Scan, Automatic Tone Control, Clock, Theft lock and Speed Compensated Volume. Includes two high sensitivity speakers and 2 tweeters in front doors, 2 extended range speakers in rear door, 2 extended rear speakers in pillar, subwoofer in left rear quarter panel and 5 channel amplifier in instrument panel. **Requires** AN3 or A95.
Optional with: ..... SAU 3 or 4 ..... UP0

Electronically Tuned AM/FM Stereo with Cassette Player, Seek-Scan, Clock, Data System and Speed Compensated Volume. Includes two high sensitivity speakers and 2 tweeters in front doors, 2 extended range speakers in rear door, 2 extended rear speakers in pillar, subwoofer in left rear quarter panel and 5 channel amplifier in instrument panel. **Requires** UL2.
Optional with: ..... SAU 3 or 4 ..... UW3

STEP #4 SELECT ADDITIONAL OPTIONS

	Description	Option Code
	Radio Frequency European ZE5: **Requires** standard radio. **Not Available** with UL5 or UM6. YE9: **Requires** UL0 or UP0. **Required** with UW3 **Available** with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW9 (Miscellaneous Unregulated). Optional with: K15706	UL2
R	**2nd ROW SEAT AUDIO CONTROLS EARPHONE JACKS:** **Requires** AN3 or A95 Optional with: SAU 3	UK6
	REAR WINDOW DEFOGGER: Electric. **Requires** C60. Optional with: SAU 1	C49
	RUNNING BOARDS, SIDE STEP: Black. Moulded plastic over sheet metal construction. Supports up to 272 kgs (600 lbs) per side. Shipped inside vehicle for dealer installation. Optional with: SAU 1or 3	BVE
	SKID PLATES: Off-Road. Included with Z71. Includes shields for engine, front differential and transfer case. Optional with: K15706	NZZ
	SUNROOF: Sliding Electric. Express Open. Includes short overhead roof console and UG1 Homelink. **Deletes** C68 on SAU 4. Optional with: SAU 3 or 4	CF5
	TELEPHONE PROVISIONS: Includes wiring for remote microphone and cellular phone. Optional with:	UV8
	TOWING DEVICE: Two front tow hooks. Included on K15706. Optional with: C15706	V76
R	**TRACTION CONTROL: Not Available** with NM2 Leaded Fuel Provisions. **Requires** G80. ZE5 **Requires** K34. Includes Electronic Throttle Control. Optional with: C15706	NW7
R	**TRAILERING SPECIAL EQUIPMENT**: Heavy Duty. Includes KNP. Includes Weight Distributing Platform Trailer Hitch and 7 pin RV sealed connector. Optional with:	Z82
	WHEELS:	
	16" Aluminum, Cast. Four Wheels Optional with: SAU 1	PF4
	16" Chrome. Four Wheels Includes Chrome Caps. Optional with: SAU 1 or 3	PY2
	Chrome Caps Optional with: SAU 1	P03
	16" Polished Aluminum: Four Wheels Optional with: SAU 3 on C15706, K15706	QC3

2000 LIGHT DUTY TRUCKS

STEP #4 SELECT ADDITIONAL OPTIONS

DESCRIPTION	Order Code	Lead Time Days

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

BOOT COVERS, PROTECTIVE DRIVE AXLE: Provides a ballistic nylon protective cover that sweeps ice, snow, mud and other debris from the lower control arm, resulting in a longer seal life. Recommended for use in severe environments such as mining operations, forestry service, farming and other off-highway uses.

Optional with:	K15706	8T7	35

CONSOLE DELETE: **Deletes** floor console. **Not Available** with UK6. **Requires** A95 or AN3 and standard radio on YE9 or UL0.

Optional with:	SAU 3 or 4	9N5	35

LAMP, DOME: Passenger

Optional with:	SAU 1	6C7	35

MIRRORS, EXTERIOR: Driver and Passenger. West Coast type

Optional with:		9F8	35

PAINTS: Solid. **Requires** 01U.

Orange, Tangier		9W4	21
Yellow, Wheatland		9W3	21
Green, Woodland		9V5	21
Tan, Doeskin		9V9	21

TRIM OVERRIDE: Provides custom cloth seats. **Requires** ZE5 and 12V or 67V code trim. **Requires** AE7 or A95.
AE7 includes manual lumbar and center storage armrest.
A95 includes manual lumbar on driver and passenger. Does not include overhead console or floor console..

Optional with:	SAU 1 with AE7 without YG4 or AS3	9X5	35
	SAU 1 with AE7 with YG4	9X5	35
	SAU 1 with AE7 with AS3	9X5	35
	SAU 1 with A95 without YG4 or AS3	9X5	35
	SAU 1 with A95 with YG4	9X5	35
	SAU 1 with A95 with AS3	9X5	35

SEATS, FRONT: **Requires** 9X5.

Bench		AE7	- -
High Back Reclining Buckets		A95	- -

STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE

ZY1 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Graphite	Neutral	Pewter
ZE5	40/20/40 Split Bench	Vinyl	AE7	12V	67V	---
YE9	40/20/40/ Split Bench	Custom Cloth	AE7	12D	67D	92D
	40/20/40 Split Bench	Leather	AE7	♦122	♦672	♦922
	High Back Buckets	Custom Cloth	A95	12D	67D	92D
	High Back Buckets	Leather	A95	♦122	♦672	♦922
	High Back Buckets	Leather	AN3	♦122	♦672	♦922

Exterior Paint Colour	Code	Available Combinations			B71 Wheel Opening Fender Flare ZE5	YE9
Light Pewter (Met)	11U	X	X	X	Black	Pewter
Medium Charcoal Gray (Met)	14U	X	X	X	Black	Gray
Indigo Blue (Met)	39U	X	X	X	Black	Black
Onyx Black	41U	X	X	X	Black	Black
Summit White	50U	X	X	X	Black	Black
Dark Carmine Red (Met)	51U	X	X	X	Black	Black
Sunset Gold (Met)	60U	X	X	X	Black	Gold
Dark Copper (Met)	69U	X	X	X	Black	Copper
Victory Red	74U	X	X	X	Black	Black

♦ **Leather Trim Requires SAU 3 or 4. Leather is on seating surfaces only.**

ZY2 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Graphite	Neutral	Pewter
YE9	40/20/40 Split Bench	Custom Cloth	AE7	12D	67D	92D
	40/20/40 Split Bench	Leather	AE7	♦122	♦672	♦922
	High Back Bucket	Custom Cloth	A95	12D	67D	92D
	High Back Bucket	Leather	A95	♦122	♦672	♦922
	High Back Bucket	Leather	AN3	♦122	♦672	♦922

Exterior Paint Colour	Code	Exterior Paint Colour	Code	Available Combinations			B71 Wheel Opening Fender Flare
Light Pewter (Met)	11U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	11U	Onyx Black	41L	X	---	X	Black
	11U	Sunset Gold (Met)	60L	---	X	X	Gold
Medium Charcoal Gray (Met)	14U	Light Pewter (Met)	11L	X	---	X	Pewter
	14U	Onyx Black	41L	X	---	X	Black
	14U	Sunset Gold (Met)	60L	X	X	---	Gold
Indigo Blue (Met)	39U	Light Pewter (Met)	11L	X	---	X	Pewter
	39U	Med. Charcoal Gray (Met)	14L	X	---	X	Gray
	39U	Sunset Gold (Met)	60L	X	X	---	Gold
Onyx Black	41U	Light Pewter (Met)	11L	X	---	X	Pewter
	41U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	41U	Sunset Gold (Met)	60L	X	X	---	Gold
	41U	Victory Red	74L #	X	---	X	---
Summit White	50U	Light Pewter (Met)	11L	X	---	X	Pewter
	50U	Med. Charcoal Gray (Met)	14L	X	---	X	Gray
	50U	Sunset Gold (Met)	60L	X	X	---	Gold
Dark Carmine Red (Met)	51U	Light Pewter (Met)	11L	X	---	X	Pewter
	51U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	51U	Sunset Gold (Met)	60L	---	X	---	Gold
Sunset Gold (Met)	60U	Light Pewter (Met)	11L	---	X	X	Pewter
	60U	Medium Charcoal Gray (Met)	14L	X	X	---	Gray
	60U	Onyx Black	41L	X	X	---	Black
Dark Copper (Met)	69U	Light Pewter (Met)	11L	X	---	X	Pewter
	69U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	69U	Sunset Gold (Met)	60L	X	X	---	Gold
Victory Red	74U	Light Pewter (Met)	11L	X	---	X	Pewter
	74U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	74U	Onyx Black	41L	X	---	X	Black
	74U	Sunset Gold (Met)	60L	---	X	---	Gold

♦ **Leather Trim Requires SAU 3 or 4. Leather is on seating surfaces only.**
\# **Not Available with B71.**

DATE: February 14, 2000
REVISION NO: 00-3

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

2000

UPDATE

CHEVROLET

TAHOE (NEW)

TRUCK TECHNICAL PAGES

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE	PASSENGER CAPACITY (STD/OPT)	STANDARD ENGINE/ TRANS	OPTIONAL ENGINE/ TRANS	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	MAXIMUM PAYLOAD KG (LB) BASED ON CURB WT	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB)
TWO-WHEEL-DRIVE MODELS								
C1500 TAHOE	C15706/ZW9/E52	6/5	4800 V8/A4	5300 V8/A4	2948 (6500)	1429/1701 (3150/3750)	737 (1627)	3674/* (8100)
C1500 TAHOE	C15706/ZW9/E52	8/9	4800 V8/A4	5300 V8/A4	3084 (6800)	1429/1814 (3150/4000)	654 (1443)	3674/* (8100)
FOUR-WHEEL-DRIVE MODELS								
K1500 TAHOE	K15706/ZW9/E52	6/5	4800 V8/A4	5300 V8/A4	3084 (6800)	1633/1814 (3600/4000)	773 (1706)	3992/* (8800)
K1500 TAHOE	K15706/ZW9/E52	8/9	4800 V8/A4	5300 V8/A4	3130 (6900)	1633/1814 (3600/4000)	689 (1521)	3992/* (8800)

*Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 1000 lb).

POWERTRAINS

ENGINES

ENGINE	VORTEC 4800 V8	VORTEC 5300 V8
Order Code	LR4	LM7
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	205 @ 5200 (275 @ 5200)	213 @ 5200 (285 @ 5200)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	393 @ 4000 (290 @ 4000)	441 @ 4000 (325 @ 4000)
Fuel System	SFI	SFI
Standard Battery (12-volt negative ground Delco Freedom 2 Plus) Cold Cranking Amps @ -17.8° C (0° F)	600	600
Standard Delcotron Alternator Maximum Capacity Amps	105	105

TRANSMISSIONS

	ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E) (includes brake/transmission shift interlock)
Transmission Order Code	M30 (Standard C/K15706)
Engine Application (Order Code)	LR4/LM7
Gear Ratios First Second Third Fourth Reverse	 3.06 1.63 1.00 0.70 2.29

POWERTRAINS (CONT.)

AXLES					
	REAR AXLE			FRONT AXLE (4X4 ONLY)	
Make	American Axle			American Axle	
Capacity kg (lb)	1814 (4000)			1780 (3925)	
Pinion and Ring Gear Type	Hypoid, semi-floating			Hypoid	
Axle Ratio Code	GU6 (Std)	GT4	GT5	GT4	GT5
Ratio	3.42	3.73	4.10	3.73	4.10
Pinion Teeth	12	11	11	11	11
Ring Gear Teeth	41	41	41	41	41
Ring Gear Diameter mm (in.)	218 (8.6)	218 (8.6)	218 (8.6)	210 (8.25)	210 (8.25)

BRAKES	
Type	Power 4-Wheel Anti-Lock
Application	C/K15706
Front Rotor Size mm (in.)	Disc 305 (12.0)
Rear Size mm (in.)	Disc 330 (13.0)
Booster Type	Vacuum
Parking Brake Type Operation	Drum in hat Cable to Rear Wheels Pedal

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY ALT = ALL TERRAIN BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		FRONT/REAR/SPARE
P245/75R16	AS/SBR/BW	QNK
P245/75R16	AS/SBR/WOL	QNL
P265/70R16	ALT/SBR/BW	QMJ
P265/70R16	ALT/SBR/WOL	QMK
P265/70R16	ALT/SBR/BW	QGC
P265/70R16	ALT/SBR/WOL	QGD
LT245/75R16C	ON-OFF/SBR/BW	QBN
LT245/75R16C	ON-OFF/SBR/WOL	QBX
LT265/75R16C	ON-OFF/SBR/BW	QIX

STANDARD CHASSIS FEATURES

ENGINE BLOCK HEATER	
EXHAUST SYSTEM	
Type	Aluminized stainless steel single exhaust with converter and unitized muffler-tailpipe. Tailpipe exit on right-hand side of vehicle
FRAME	
Type	All-welded hydro formed ladder-type with channel design and boxed front section
Material	Carbon steel
Yield Strength	N/A
FUEL TANK	
Location	Between frame rails midship (Fuel filler located on left side at rear) Includes plastic bathtub-type shield
Capacity (approx.)	
C/K15706	98 litres (21.7 imperial gal)
GVWR	
C7K–C15706	2948 kg (6500 lb)
C5U–C/K15706	3084 kg (6800 lb)
C5H--K15706	3130 kg (6900 lb)
STEERING	
Type	2WD:Integral Power 4WD:Speed Sensitive Electronic Variable Orifice (EVO)

SUSPENSION, FRONT	Independent
Capacity	
C15706	1542 kg (3400 lb)
K15706	1780 kg (3925 lb)
2WD Springs	Torsion bars
Capacity	
C15706	714 kg (1575 lb) each
4WD Springs	Torsion bars
Capacity	
K15706	816 kg (1800 lb) each
Shock absorbers	32 mm (1.25") piston diameter
Stabilizer bar	Heavy-duty; 32mm (1.25") diameter
SUSPENSION, REAR	Five link coil spring
Capacity	
C/K15706	1542 kg (4000 lb)
Springs	Coil
Capacity	
C/K15706 w/C5U/C5H	907 kg (2000 lb) each
C15706 w/C7K	851 kg (1875 lb) each
Shock absorbers	32 mm (1.25") piston diameter
TRANSFER CASE	
Availability	K15706
Type/Model	New Venture Gear 2-Speed Electronic Active / NVG246
Controls	I/P mounted
WHEELS	
Type	Five disc, stainless-steel clad
Size	
C/K15706	406mm x 165mm (16" x 6.5")
Attachment	6 bolts

DIMENSIONS

MODEL	C1500 TAHOE	K1500 TAHOE
MODEL NUMBER	C15706	K15706
EXTERIOR DIMENSIONS		
BODY Wheelbase mm (in.)	2946 (116.0)	2946 (116.0)
Overall Length mm (in.)	5052 (198.9)	5052 (198.9)
Overall Height mm (in.)	1899 (74.7)	1893 (74.5)
Maximum Width mm (in.)	2004 (78.9)	2004 (78.9)
Bumper-to-Axle mm (in.) Front Rear	 941 (37.0) 1165 (45.9)	 941 (37.0) 1165 (45.9)
Ground to Top of Rear Load Floor mm (in.)	762 (30.0)	800 (31.5)
Ground Clearance mm (in.) Front/Rear	247/271 (9.7/10.7)	271/268 (10.7/10.6)
Turning Diameter Curb-to-Curb m (ft)	11.9 (39.3)	12.2 (39.9)

INTERIOR DIMENSIONS		
Headroom mm Front/Middle/Rear (in.)	1034/1001/950 (40.7/39.4/37.4)	1034/1001/950 (40.7/39.4/37.4)
Legroom mm Front/Middle/Rear (in.)	1049/981/693 (41.3/38.6/27.3)	1049/981/693 (41.3/38.6/27.3)
Shoulder Room mm Front/Middle/Rear (in.)	1657/1653/1636 (65.2/65.1/64.4)	1657/1653/1636 (65.2/65.1/64.4)
Hip Room mm Front/Middle/Rear (in.)	1560/1557/1248 (61.4/61.3/49.2)	1560/1557/1248 (61.4/61.3/49.2)
Cargo Volume litres (cu ft) w/ Front Seat w/ Front, Middle Seats w/ Front, Middle, Rear Seats	 3064 (108.2) 1801 (63.6) 462 (16.3)	 3064 (108.2) 1801 (63.6) 462 (16.3)
Load Floor Length mm (in.) w/ Front Seat w/ Front, Middle Seats w/ Front, Middle, Rear Seats	 2139 (84.2) 1265 (49.8) 351 (13.8)	 2139 (84.2) 1265 (49.8) 351 (13.8)
Cargo Width mm (in.)	1519 (59.8)	1519 (59.8)
Interior Width Between Wheelhousings mm (in.)	1247 (49.1)	1247 (49.1)